Distribution:

Orig - Project Director

2 - HTAUTOMAT

16 May 1956

3 - Operations

4 -

5 - Chrono

6 - Reading

SAPC-62117 Copy 201 6

LSK:vd (5/16/56)

MEMORANDOM FOR : Project Director

THROUGH

: Contracting Officer

SUBJECT

: Memorandum dated 1 May 1956 "Continuing Requirement for Operational Film Evaluation." Attached ORR - D/GP Photo Evaluation Sheet.

- 1. All criteria for evaluation covered. However, I believe there should be a sheet for each camera within a configuration. Advantages are as follows:
 - A. More space to describe malfunctions. This is mentally accomplished by the Photo Interpreter in his evaluation and it will require a few minutes more to write it down. If item is checked and an appropriate mark recorded in column without comment the entire roll must again be reviewed to determine how, when and where the malfunction occurred and its significance.
 - B. Using separate sheets will aid in classifying or segregating malfunction. For example, all evaluation sheets of cameras placed in R. O. of an A-1 can be collected and studied as a unit; or we can group all cameras using the same lenses, magasines, etc. In brief, separate evaluation sheets give greater flexibility.
 - C. An evaluation sheet can be placed in each can of negatives and/or box of prints.
- 2. Specific charges, assuming a separate evaluation sheet for each camera are as follows;
 - A. Items 1, 2 and 3 will be placed at top of sheet along with Camera Designator.
 - B. Detachment Designator added on top of shed
 - C. Increase spacing between items.
 - D. More space for "Remarks."
- 3. The referenced memorandum was discussed with Cliff 11 May 1956. The above recommendations plus other minor items were reviewed and he agreed with the sugrestions.

SECRET

25X1

25X1

25X1

SAPC 5827 Cy 462 1 1 May 1956

MEMORAMOUM FOR: Project Director

SUBJECT

130

: Continuing Requirement for Operational Film Evaluation

ENCLOSURE

: Sample Evaluation Shoot

- 1. The USCH emercise has clearly indicated a continuing need for jumple film evaluation of operational photography. Mr. McFadden of Hyeon has also indicated the necessity for such an evaluation.
- 2. As of the present time there has been no requirement levied on $D/\Omega P$ for conducting a continuous evaluation program. Should this requirement exist, it is requested that $D/\Omega P$ be notified at the earliest possible date.
- 3. On the assumption that a requirement for an evaluation program exists a sample form (see emslowure) has been propored, with the cooperation of Mr. McFadden which lists the major items required by the operating bases. It is requested that this form be reviewed by the Project Contracting and Operations Officers to confirm the listing of all required data.
- 4. In reviewing the evaluation sheet it must be remembered that D/GP expabilities, both as to personnel and time, are very limited and any exhaustive detailed studies will not be feasible.

A.C. LUMDAHL Chief D/GP/MR

Branch Chief SFB
PCS/DCI/O/CKM/efm
Distribution
Orig and 1-addresses
3-ops chrone
4-subject file
5-addresses

ETOTE >

, 25X1

Declaration in Dart	Canitinad Canu	Anneway and for Dalage	2012/10/16 ·	: CIA-RDP89B00709R000300540012	2 4
Declassified in Part -	Saniuzed Coby	Approved for Releas	se zu iz/ iu/ io .	. CIA-RDP09600709R000300340012	Z-4

ORR-D/GP Photographic Evaluation Sheet

Evaluation Date								
	Item	γ	,	amera Design	ator	 		
1.	Lens Serial No.							
2.	Cone Serial No.							
3.	Magazine Serial No.							
4.	Shutter Operation*							
5•	Film Metering							
	Film Tracking							
7•	Vacuum Failure							
8.	Clock Operation		·					
9•	Overlap							
10.	Exposure Counter Operation							
11.	Data Chamber (Image Quality)			,				
12.	Static Electricity							
13.	Vignetting							
<u>v</u>	Pinholes							
15.	Scratches							
16.	Tearing (film)							
17.	Pressure Streaks							
18.	Water Spots							
19.	Density							
20.	Contrast							
21.	Apparent Resolution							
22.	Apparent Granularity							
23.	Flare		_					
24.	Suitability for PI							

Remarks:

*Note Intermittant (I) or Continuous (C) failure in such cases as "bounce", failure to completely close, and remaining partially or completely open.